## ClinicalTrials.gov

A service of the U.S. National Institutes of Health

Trial record 1 of 1 for: NCT02098317

Previous Study | Return to List | Next Study

## DHA and Vitamin D in Children With Biopsy-proven NAFLD (VitD\_DHA)

This study has been completed.

Sponsor:

Bambino Gesù Hospital and Research Institute

Information provided by (Responsible Party):

Valerio Nobili, Bambino Gesù Hospital and Research Institute

 ${\bf Clinical Trials. gov\ Identifier:}$ 

NCT02098317

First received: March 24, 2014 Last updated: January 13, 2016 Last verified: January 2016

History of Changes

**Full Text View** 

**Tabular View** 

**No Study Results Posted** 

Disclaimer

How to Read a Study Record

First Received Date ICMJE	March 24, 2014
Last Updated Date	January 13, 2016
Start Date ICMJE	January 2014
Primary Completion Date	May 2015 (final data collection date for primary outcome measure)
Current Primary Outcome Measures ICMJE (submitted: March 26, 2014)	Improvement in NAFLD Activity Score (NAS) [ Time Frame: 12 months ] [ Designated as safety issue: No ]
Original Primary Outcome Measures ICMJE	Same as current
Change History	Complete list of historical versions of study NCT02098317 on ClinicalTrials.gov Archive Site
Current Secondary Outcome Measures ICMJE (submitted: March 26, 2014)	<ul> <li>improvement of laboratory parameters of metabolic syndrome, such as lipids and gluco-insulinemic profile     [Time Frame: at 6 and 12 months] [Designated as safety issue: No]</li> <li>safety [Time Frame: 6 months] [Designated as safety issue: Yes]</li> <li>clinical examination, medical history and specific laboratory parameters</li> </ul>
Original Secondary Outcome Measures ICMJE	Same as current
Current Other Outcome Measures ICMJE	Not Provided
Original Other Outcome Measures ICMJE	Not Provided
Descriptive Information	
Brief Title ICMJE	DHA and Vitamin D in Children With Biopsy-proven NAFLD
Official Title ICMJE	Efficacy and Tolerability of Vitamin D and Docosahexaenoic Acid (DHA) in Children With Biopsy Proven NAFLE

	Non-alcoholic fatty liver disease (NAFLD) has reached epidemic proportions and is rapidly becoming the one of most common causes of chronic liver disease in children. The pathogenesis of NAFLD is generally considered the result of a series of liver injuries, commonly referred as "multi-hit" hypothesis. Several studies suggest that inflammatory pathways and oxidative stress could be responsible of disease progression.
	The purpose of this interventional study is to evaluate the efficacy and tolerability of docosahexaenoic acid (DHA) and Vitamin D in children and adolescents with biopsy-proven nonalcoholic fatty liver disease (NAFLD).
Detailed Description	Sixty-six children or adolescents (4-16 years) with liver biopsy proven NAFLD will be enrolled. They will be randomized to treatment with DHA and Vitamin D (n=33) or an identical placebo (n=33) given orally for a period of 6 months. All patients will be included in a lifestyle intervention program consisting of a diet tailored on the individual requirements and physical exercise.
	Patients will undergo a medical evaluation at 3-6 and 12 months during the 12-months study period. Liver biopsy will be performed at baseline and at 12 months. Anthropometric measurements and laboratory tests, including liver enzymes, gluco-insulinemic profile and lipids will be performed at baseline and repeated at 6-12 months
Study Type ICMJE	Interventional
Study Phase	Phase 3
Study Design ICMJE	Allocation: Randomized Endpoint Classification: Safety/Efficacy Study Intervention Model: Parallel Assignment Masking: Double Blind (Subject, Caregiver, Investigator, Outcomes Assessor) Primary Purpose: Treatment
Condition ICMJE	• NAFLD
	Non Alcoholic Steatohepatitis (NASH)
Intervention ICMJE	<ul> <li>Drug: DHA plus Vitamin D</li> <li>DHA 500 mg plus Vitamin D 800 IU</li> <li>Drug: Placebo</li> <li>Placebo pearls mimicking pearls with DHA and Vitamin D</li> </ul>
Study Arm (s)	<ul> <li>Experimental: TREATED GROUP         this group will treated with pearls containing DHA plus Vitamin D3 (500 mg and 800 IU, respectively) given orally in association with lifestyle intervention [hypocaloric diet (25-30 Kcal/kg/day) or isocaloric (40-45 Kcal/kg/day) and physical activity] for 24 weeks         Intervention: Drug: DHA plus Vitamin D     </li> <li>Placebo Comparator: PLACEBO GROUP</li> </ul>
	this group will treated with identical placebo pearls given orally in association with lifestyle intervention [hypocaloric diet (25-30 Kcal/kg/day) or isocaloric (40-45 Kcal/kg/day) and physical activity] for 24 weeks Intervention: Drug: Placebo
Publications *	Not Provided

\* Includes publications given by the data provider as well as publications identified by ClinicalTrials.gov Identifier (NCT Number) in Medline.

Recruitment Information		
Recruitment Status ICMJE	Completed	
Enrollment ICMJE	66	
Completion Date	September 2015	
Primary Completion Date	May 2015 (final data collection date for primary outcome measure)	
Eligibility Criteria ICMJE	Inclusion Criteria:  • biopsy consistent with the diagnosis of NAFLD/NASH  • reduced serum levels of vitamin D aminotransferases (ALT) levels <10 upper limit of normal	

- · hyperechogenicity at liver ultrasound examination suggestive of fatty liver
- International normalized ratio (INR) < 1,3
- Albumin > 3 g/dl
- total bilirubin < 2,5 mg/dl</li>
- · no previous gastrointestinal bleeding
- · no previous portosystemic encephalopathy
- normal renal function
- · no hepatitis B, hepatitis C infection
- · normal cell blood count

## Exclusion Criteria:

- alcohol consumption
- use of drugs known to induce steatosis or to affect body weight and carbohydrate metabolism
- autoimmune liver disease, metabolic liver disease, Wilson's disease, and a-1-antitrypsin-associated liver disease
- every clinical or psychiatric disease interfering with experimentation according to investigator's evaluation
- finding of active liver disease due to other causes

Gender	Both
Ages	4 Years to 16 Years (Child)
Accepts Healthy Volunteers	No
Contacts ICMJE	Contact information is only displayed when the study is recruiting subjects
Listed Location Countries ICMJE	Italy
Removed Location Countries	

## Administrative Information

Administrative Information		
NCT Number ICMJE	NCT02098317	
Other Study ID Numbers ICMJE	VD3_DHA_NAFLD	
Has Data Monitoring Committee	Not Provided	
Plan to Share Data	Not Provided	
IPD Description	Not Provided	
Responsible Party	Valerio Nobili, Bambino Gesù Hospital and Research Institute	
Study Sponsor ICMJE	Bambino Gesù Hospital and Research Institute	
Collaborators ICMJE	Not Provided	
Investigators ICMJE	Principal Investigator: Valerio Nobili, Professor Bambino Gesù Children Hospital	
Information Provided By	Bambino Gesù Hospital and Research Institute	
Verification Date	January 2016	

ICMJE Data element required by the International Committee of Medical Journal Editors and the World Health Organization ICTRP